

# Blinds & Shades



# ABOUT US

production area and 50 experienced personnel, we provide services through our retail and wholesale dealers. Our product range includes rail systems, zip curtain systems with mechanisms, ceiling and vertical zip curtains, cassette and win awnings, as well as various accessories. With this extensive product range, we aim to produce all types of curtains tailored to the decoration and needs of your living spaces. We are committed to delivering services without compromising on quality and always prioritizing customer satisfaction.

Customer satisfaction is the cornerstone of our 35 years of experience, and by placing this principle at the heart of our business, we aim to keep our customer relationships strong and sustainable. We develop smart and innovative solutions to increase the profits of both our customers and our company. In our 3000 m<sup>2</sup> production facility, we continuously invest in technology, closely follow developments in the industry, and with our team of 50 and state-of-the-art machinery, we adhere to the principle of providing the best and most high-quality products in every area.

---

## Our Mission

To provide uninterrupted service with the most suitable costs, strong stock capacity, and fast shipment possibilities without compromising the principle of customer satisfaction.

To prioritize the work of our R&D department, closely following innovations and technological developments in the sector.

To offer our customers the best prices, the best planning, and the highest assurance.

To comply with and maintain national and international quality standards.

## Our Vision

To provide reliable logistical support in product shipment and instill confidence in this area.

To continue investing in technology in our production processes.

To offer added value to the industry in every aspect, becoming a recognized and trusted brand both nationally and internationally.



**35 Year  
Experience**  
35 yıllık tecrübe



**3500 m<sup>2</sup>  
Production Area**  
3500 m<sup>2</sup> üretim alanı



**50+  
Staff**  
50+ personel

kişilik deneyimli personelimizle, perakende ve toptan bayilerimiz aracılığıyla hizmet vermekteyiz. Ürün yelpazemiz, raylı sistemler, mekanizmalı zip perde sistemleri, tavan ve dikey zip perdeler, kasetli ve win tenteler ile çeşitli aksesuarları kapsamaktadır. Bu geniş ürün yelpazesıyla, her türlü perde çeşidini yaşam alanlarınızın dekorasyonuna ve ihtiyaçlarına uygun şekilde üretmeyi hedefliyoruz. Kaliteden asla ödün vermeden, müşteri memnuniyetini her zaman ön planda tutarak hizmet sunmayı taahhüt ediyoruz.

Müşteri memnuniyeti, 35 yıllık deneyimimizin temel taşıdır ve bu ilkeyi işimizin merkezine koyarak, müşteri ilişkilerimizi her zaman güçlü ve sürdürülebilir kılmayı amaçlıyoruz. Müşterilerimizin ve şirketimizin kazançlarını artırmak için akılcı ve yenilikçi çözümler üretiyoruz. 3000 m<sup>2</sup> üretim alanımızda, sürekli olarak teknolojiye yatırım yaparak sektördeki gelişmeleri yakından takip ediyor, 50 kişilik ekibimizle ve son teknoloji makinelerimizle her alanda en doğru ve kaliteli ürünü sunmayı ilke ediniyoruz.

## Misyonumuz

Müşteri memnuniyeti ilkesinden ödün vermeden, en uygun maliyet, güçlü stok kapasitesi ve hızlı sevkiyat imkanıyla kesintisiz hizmet sunmak.

Ar-Ge departmanımızın çalışmalarına öncelik vererek, sektördeki yenilikleri ve teknolojik gelişmeleri yakından takip etmek.

Müşterilerimize en iyi fiyat, en iyi planlama ve en yüksek güvenceyi sağlamak.

Ulusal ve uluslararası kalite standartlarına uymak ve bu standartları korumak.

## Vizyonumuz

Ürün sevkiyatında güvenilir lojistik destek sağlamak ve bu alanda güven vermek.

Üretim süreçlerimizde teknolojiye olan yatırımlarımızı sürdürmek.

Sektöre her anlamda katma değer sunarak, hem ulusal hem de uluslararası arenada bilinen ve güvenilen bir marka haline gelmek.

# ZIP SCREEN SYSTEM

## BLINDS & SHA

## OUTDOOR


## ZIP

## AUTOMATIC ZIP




SKY 1500 SERIES

Outdoor Arc Sky Zip Screen



Outdoor Vertical Zip Screen



*Stylish, comfortable, and functional  
solutions for modern outdoor spaces*




SKY 1600 SERIES  
Outdoor Shock Absorber  
Sky Zip Screen

# Zip Screen Outdoor - Automatic

Stylish and comfort to your outdoor spaces  
Dış mekanlarda konfor ve zerafet

# OUTDOOR VERTICAL ZIP SCREEN



# VERTICAL ZIP SCREEN

## Outdoor Vertical Zip Screen Dış Mekan Dikey Zip Perde



Zip Screen Systems are both an aesthetic and functional solution for modern outdoor spaces. They provide effective protection against the sun, wind, and insects while helping to keep indoor areas cool and comfortable. Thanks to a special rail system, the fabric remains stable and undisturbed even in windy conditions. These systems can be easily controlled with the touch of a button and can be integrated with smart home systems, allowing for automatic adjustments based on the time of day or weather conditions. They are an ideal solution for pergolas, terraces, and balconies with large glass areas.

Zip screens come in a variety of colors and fabrics, seamlessly blending with your decor, while filtering UV rays to create a cooler and more comfortable indoor environment. Additionally, they enhance energy efficiency by reducing the need for air conditioning in summer and minimizing heat loss in winter. With their sleek design and durable construction, Zip Screen Systems add stylish and comfort to your outdoor spaces.

Zip Perde Sistemleri, modern dış mekanlar için hem estetik hem de işlevsel bir çözümdür. Güneş, rüzgar ve böceklere karşı etkili koruma sağlarken, iç mekanların serin ve konforlu kalmasına yardımcı olur. Özel ray sistemi sayesinde perde kumaşı rüzgarlı havalarda bile sabit kalır ve deforme olmaz. Tek bir tuşla kolayca kontrol edilebilen bu sistemler, akıllı ev sistemleriyle entegre edilebilir, böylece günün saatine veya hava koşullarına göre otomatik olarak ayarlanabilir. Özellikle geniş cam alanlarına sahip pergolalar, teraslar ve balkonlar için ideal bir çözümdür.

Zip perde sistemleri, çeşitli renk ve kumaş seçenekleriyle dekorasyonunuza uyum sağlar, UV ışınlarını filtreleyerek iç meknlarda serin ve rahat bir ortam sunar. Ayrıca enerji verimliliğini artırarak yazın klima ihtiyacını azaltır, kışın ise ısı kaybını minimuma indirir. Şık tasarımı ve dayanıklı yapısıyla Zip Perde Sistemleri, dış mekanlarınıza zarafet ve konfor katar.



Remote Control

Uzaktan Kontrol




Lighting Option

Aydınlatma Özelliği



Wind Protection

Rüzgar Koruması



Retractable Mechanism

Açılır Kapanır Mekanizma



Pest Protection

Haşere Koruması



Privacy Protected

Görüntü Gizliliği





Breathing Fabric

Nefes Alan Kumaş



Zip Screen Systems are both an aesthetic and functional solution for modern outdoor spaces



# VERTICAL ZIP SCREEN

## Dış Mekan Dikey Zip Perde

Zip Screen Systems are both an aesthetic and functional solution for modern outdoor spaces.

They provide effective protection against the sun, wind, and insects while helping to keep indoor areas cool and comfortable.



**Remote Control**  
Uzaktan Kontrol



**Lighting Option**  
Aydınlatma Özelliği



**Pest Protection**  
Haşere Koruması



**Privacy Protected**  
Görüntü Gizliliği



**Wind Protection**  
Rüzgar Koruması




**Retractable Mechanism**  
Açılır Kapanır Mekanizma




**Breathing Fabric**  
Nefes Alan Kumaş

Zip Perde Sistemleri, modern dış mekanlar için hem estetik hem de işlevsel bir çözümdür. Güneş, rüzgar ve böceklerle karşı etkili koruma sağlarken, iç mekanların serin ve konforlu kalmasına yardımcı olur.






Stylish, comfortable,  
and functional solutions  
for modern outdoor spaces



OUTDOOR  
SKY  
ZIP  
SCREEN  
SKY1500 SERIES



# SKY 1500 SERIES

## Outdoor Sky Zip Screen Yaylı Tavan Zip Perde




Zip Screen Systems are both an aesthetic and functional solution for modern outdoor spaces. They provide effective protection against the sun, wind, and insects while helping to keep indoor areas cool and comfortable. Thanks to a special rail system, the fabric remains stable and undisturbed even in windy conditions. These systems can be easily controlled with the touch of a button and can be integrated with smart home systems, allowing for automatic adjustments based on the time of day or weather conditions. They are an ideal solution for pergolas, terraces, and balconies with large glass areas.

Zip screens come in a variety of colors and fabrics, seamlessly blending with your decor, while filtering UV rays to create a cooler and more comfortable indoor environment. Additionally, in summer and minimizing heat loss in winter. With their sleek design and durable construction, Zip Screen Systems add elegance and comfort to your outdoor spaces.

ly, they enhance energy efficiency by reducing the need for air conditioning


Zip Perde Sistemleri, modern dış mekanlar için hem estetik hem de işlevsel bir çözümdür. Güneş, rüzgar ve böceklerle karşı etkili koruma sağlarken, iç mekanların serin ve konforlu kalmasına yardımcı olur. Özel ray sistemi sayesinde perde kumaşı rüzgarlı havalarda bile sabit kalır ve deforme olmaz. Tek bir tuşla kolayca kontrol edilebilen bu sistemler, akıllı ev sistemleriyle entegre edilebilir, böylece günün saatine veya hava koşullarına göre otomatik olarak ayarlanabilir. Özellikle geniş cam alanlarına sahip pergolalar, teraslar ve balkonlar için ideal bir çözümdür.

Zip perde sistemleri, çeşitli renk ve kumaş seçenekleriyle dekorasyonunuza uyum sağlar, UV ışınlarını filtreleyerek iç mekanlarda serin ve rahat bir ortam sunar. Ayrıca enerji verimliliğini artırarak yazın klima ihtiyacını azaltır, kışın ise ısı kaybını minimuma indirir. Şık tasarımı ve dayanıklı yapısıyla Zip Perde Sistemleri, dış mekanlarınıza zarafet ve konfor katar.



Stylish, comfortable,  
and functional solutions  
for modern outdoor spaces






# SKY 1500 SERIES

## Yaylı Tavan Zip Perde

Zip Screen Systems are both an aesthetic and functional solution for modern outdoor spaces.

They provide effective protection against the sun, wind, and insects while helping to keep indoor areas cool and comfortable.



**Remote Control**  
Uzaktan Kontrol



**Lighting Option**  
Aydınlatma Özelliği




**Pest Protection**  
Haşere Koruması



**Privacy Protected**  
Görüntü Gizliliği



**Wind Protection**  
Rüzgar Koruması



**Retractable Mechanism**  
Açılır Kapanır Mekanizma



**Breathing Fabric**  
Nefes Alan Kumaş



**Coil System**  
Yaylı Sistem


Zip Perde Sistemleri, modern dış mekanlar için hem estetik hem de işlevsel bir çözümdür. Güneş, rüzgar ve böceklere karşı etkili koruma sağlarken, iç mekanların serin ve konforlu kalmasına yardımcı olur.







OUTDOOR  
SKY AND  
ZIP  
SCREEN  
SKY 1600 SERIES





# SKY 1600 SERIES

## Outdoor Shock Absorber Zip Screen

### Amortisörlü Tavan Zip Perde



Zip Screen Systems are both an aesthetic and functional solution for modern outdoor spaces. They provide effective protection against the sun, wind, and insects while helping to keep indoor areas cool and comfortable. Thanks to a special rail system, the fabric remains stable and undisturbed even in windy conditions. These systems can be easily controlled with the touch of a button and can be integrated with smart home systems, allowing for automatic adjustments based on the time of day or weather conditions. They are an ideal solution for pergolas, terraces, and balconies with large glass areas. Zip screens come in a variety of colors and fabrics, seamlessly blending with your decor, while filtering UV rays to create a cooler and more comfortable indoor environment. Additionally, they enhance energy zing heat loss in winter. With their sleek de-



efficiency by reducing the need for air conditioning in summer and minimi-  
sign and durable construction, Zip Screen Systems add elegance and comfort


Zip Perde Sistemleri, modern dış mekanlar için hem estetik hem de işlevsel bir çö-  
etkili koruma sağlarken, iç mekanların serin ve konforlu kalmasına yardımcı olur. Özel ray  
havalarda bile sabit kalır ve deforme olmaz. Tek bir tuşla kolayca kontrol edilebilen bu sis-  
böylece günün saatine veya hava koşullarına göre otomatik olarak ayarlanabilir. Özellikle geniş cam  
ideal bir çözümdür.

Zip perde sistemleri, çeşitli renk ve kumaş seçenekleriyle dekorasyonunuza uyum sağlar, UV ışınlarını filtreleyerek iç mekanlarda serin ve rahat bir  
ortam sunar. Ayrıca enerji verimliliğini artırarak yazın klima ihtiyacını azaltır, kışın ise ısı kaybını minimuma indirir. Şık tasarımı ve dayanıklı yapısıyla Zip  
Perde Sistemleri, dış mekanlarınıza zarafet ve konfor katar.

zümüdür. Güneş, rüzgar ve böceklere karşı  
sistemi sayesinde perde kumaşı rüzgarlı  
temler, akıllı ev sistemleriyle entegre edilebilir,  
alanlarına sahip pergolalar, teraslar ve balkonlar için








# SKY 1600 SERIES

## Amortisörlü Tavan Zip Perde

Zip Screen Systems are both an aesthetic and functional solution for modern outdoor spaces.

They provide effective protection against the sun, wind, and insects while helping to keep indoor areas cool and comfortable.



**Remote Control**  
Uzaktan Kontrol



**Lighting Option**  
Aydınlatma Özelliği




**Pest Protection**  
Haşere Koruması



**Privacy Protected**  
Görüntü Gizliliği



**Wind Protection**  
Rüzgar Koruması



**Retractable Mechanism**  
Açılır Kapanır Mekanizma



**Breathing Fabric**  
Nefes Alan Kumaş



**Shock Absorber**  
Amortisörlü Sistem

Zip Perde Sistemleri, modern dış mekanlar için hem estetik hem de işlevsel bir çözümdür. Güneş, rüzgar ve böceklere karşı etkili koruma sağlarken, iç mekanların serin ve konforlu kalmasına yardımcı olur.







OUTDOOR  
PERGOLA  
SYSTEM  
PATIO  
AWNING



# PERGOLA

## Patio Awning Pergola System

### Veranda Pergola Sistemleri



Zip Screen Systems are both an aesthetic and functional solution for modern outdoor spaces. They provide effective protection against the sun, wind, and insects while helping to keep indoor areas cool and comfortable. Thanks to a special rail system, the fabric remains stable and undisturbed even in windy conditions.

These systems can be easily controlled with the touch of a button and can be integrated with smart home systems, allowing for automatic adjustments based on the time of day or weather conditions. They are an ideal solution for pergolas, terraces, and balconies with large glass areas.

Zip Perde Sistemleri, modern dış mekanlar için hem estetik hem de işlevsel bir çözümdür. Güneş, rüzgar ve böceklere karşı etkili koruma sağlarken, iç mekanların serin ve konforlu kalmasına yardımcı olur.

Özel ray sistemi sayesinde perde kumaşı rüzgarlı havalarda bile sabit kalır ve deforme olmaz. Tek bir tuşla kolayca kontrol edilebilen bu sistemler, akıllı ev sistemleriyle entegre edilebilir, böylece günün saatine veya hava koşullarına göre otomatik olarak ayarlanabilir. Özellikle geniş cam alanlarına sahip pergolalar, teraslar ve balkonlar için ideal bir çözümdür.




Remote Control  
Uzaktan Kontrol



Lighting Option  
Aydınlatma Özelliği



Wind Protection  
Rüzgar Koruması



Retractable Mechanism  
Açık Kapanır Mekanizması



Pest Protection  
Haşere Koruması



Privacy Protected  
Görüntü Gizliliği



Breathing Fabric  
Nefes Alan Kumaş





Stylish and functional solutions  
for modern outdoor spaces



# CASSETTE AWNING

## Kasetli Tente Sistemleri



Cassette awnings are designed to provide modern aesthetics and superior protection for outdoor spaces. Thanks to their fully enclosed cassette structure, the awning fabric is completely protected when not in use, extending the product's lifespan and minimizing maintenance needs. Offering effective protection from the sun, rain, and wind, cassette awnings also add a touch of elegance to your spaces.

Kasetli tenteler, dış mekanlarda modern bir görünüm ve üst düzey koruma sağlamak için tasarlanmış estetik ve işlevsel çözümlerdir. Tam kapanan kaset yapısı sayesinde tente kumaşı, kullanımda değilken tamamen korunur, bu da ürünün ömrünü uzatır ve bakım ihtiyacını en aza indirir. Güneşten, yağmurdan ve rüzgardan etkin koruma sağlayan kasetli tenteler, aynı zamanda mekanlarınıza şıklık katar.



Remote Control  
Uzaktan Kontrol



Lighting Option  
Aydınlatma Özelliği



Wind Protection  
Rüzgar Koruması



Retractable Mechanism  
Ağırlık Kapanır Mekanizması



Pest Protection  
Haşere Koruması



Privacy Protected  
Görüntü Gizliliği



Breathing Fabric  
Nefes Alan Kumaş





# WIN AWNING

## Win Tente Sistemleri



The Win awning is an innovative solution that combines elegance and durability. Providing robust protection against various weather conditions, this awning stands out with its practical features. With its ergonomic design and modern look, the Win awning enhances the comfort and functionality of your outdoor spaces.

Win tente, şıklığı ve dayanıklılığı bir arada sunan yenilikçi bir tente çözü-müdür. Farklı hava koşullarına karşı güçlü koruma sağlayan bu tente, pratik kullanım özellikleriyle öne çıkar. Win tente, ergonomik tasarımı ve modern görseliyle dış mekanlarınıza konfor katarken, yaşam alanlarınızı daha işlevsel hale getirir.



Remote Control  
Uzaktan Kontrol



Lighting Option  
Aydınlatma Özelliği



Wind Protection  
Rüzgar Koruması



Retractable Mechanism  
Açılı Kapanma Mekanizması



Pest Protection  
Haşere Koruması



Privacy Protected  
Görüntü Gizliliği




Breathing Fabric  
Nefes Alan Kumaş





# FABRIC

## Fabric Options Kumaş Seçenekleri



### Working of a sunscreen

**Sunscreen = protection against sunrays**  
Sunscreen means protection against the sunrays, to be installed in the production against light and heat, which is expressed in several properties:

**Optimised fabric**  
The openness of a screen is indicated by the openness factor  $\alpha$  OF. The openness factor is the relative area of the openings in the fabric seen under a given incidence. The openness factor is seen under a normal incidence.

**Visual properties**  
The openness of a screen is indicated by the openness factor  $\alpha$  OF. The openness factor is the relative area of the openings in the fabric seen under a given incidence. The openness factor is seen under a normal incidence.

**Visual properties: classes**

**Shade control**  
The openness of the shade production device to control the luminance level of openings and to reduce the luminance contrast between different parts of the field.

**Privacy at night**  
Night privacy is the capacity of an internal or external blind or shutter in the fully extended position or fully retracted and closed position to prevent passage of light in some light conditions from exterior side. External view means the ability of an internal blind or shutter to limit the fully extended and closed product, to distinguish a person or object standing behind the production device in the room.

**Visual contact with the outside**  
Visual contact with the outside is the capacity of the shade production device to allow an exterior view when it is fully extended. This function is affected by different light conditions during the day.

**Daylight utilization**  
Daylight utilization is characterized by:  
- the capacity of the shade production device to reduce the time period during the artificial light is required.  
- the capacity of the shade production device to optimize the daylight which is available.

### Technical specifications

TECHNICAL SPECIFICATION	UNITY	STANDARD	RESULT
composition		Glassfibre 42% - PVC 58%	
openness factor	%	NEN EN 410	5%
weight	g/m <sup>2</sup>	NF EN 12127	525
thickness	mm	ISO 2286-3	0,74
density	yarn/cm	ISO 7211/2	18
colour fastness to artificial light		ISO 105 B02	>7
colour fastness to artificial weathering		ISO 105 B04	>7
tear strength	original	ISO 4674-1 method 2	8,5
elongation up to break	original	ISO 1421	7,5
breaking strength	original	ISO 1421	3,1
elongation up to break	after colour fastness to artificial weathering	ISO 1421	2,75
breaking strength	after colour fastness to artificial weathering	ISO 1421	260
elongation up to break	after climatic chamber -30°C	ISO 1421	225
breaking strength	after climatic chamber -30°C	ISO 1421	3,5
elongation up to break	after climatic chamber +70°C	ISO 1421	2,8
breaking strength	after climatic chamber +70°C	ISO 1421	240
air permeability	original	ISO 1421	225
elongation up to break	after climatic chamber -30°C	ISO 1421	4
breaking strength	after climatic chamber -30°C	ISO 1421	2,9
tear strength	after climatic chamber +70°C	ISO 4674-1 method 2	7,8
elongation up to break	after climatic chamber +70°C	ISO 1421	7,5
breaking strength	after climatic chamber +70°C	ISO 1421	3
air permeability	original	ISO 1421	2,5
elongation up to break	after climatic chamber -30°C	ISO 1421	225
breaking strength	after climatic chamber -30°C	ISO 1421	200
tear strength	after climatic chamber +70°C	ISO 4674-1 method 2	8,2
elongation up to break	after climatic chamber +70°C	ISO 1421	7,2
breaking strength	after climatic chamber +70°C	ISO 1421	2,85
air permeability	original	ISO 1421	2,5
fire classification	Europe	ISO 9237	180
	France	ISO 9237	180
	Italy	UNE-EN 13501-1:2007	500
	Germany	NF P92-503	C-s3,α0
	UK	UNI 9177	M1
	USA	DIN 4102	Class 1
		BS 5867	B1
		NFPA 701	C
roll length			50 m / 30 m for all widths > 270 cm
cleaning			with soapy water
connection			by heat, high frequency or ultrasonic welding


These properties are given as indicative and don't have any contractual value





### Exclusive Préconstraint® technology

This unique, world-patented technology involves maintaining the composite in bi-axial tension throughout the manufacturing cycle. It ensures our materials' exceptional performance characteristics, which ensure they exceed market standards in terms of long-term stability, strength, coating thickness and flatness.




- High-tensile polyester micro-grip reinforcing mesh**  
Higher resistance to elongation and tearing
- Coating under bi-axial warp and twist tension**  
No deformation during installation and usage
- Coating thickness covering top of yarns and dirt repellent surface treatment**  
Enhanced aesthetic and structural durability
- Extremely flat and thin**  
Easy-to-clean smooth surface ensuring compactness and easy rolling



### Color



Snow white 86-50990



White 86-2044 Champagne 86-2175 Sandy beige 86-2135



Pepper 86-2012 Brick 86-51180 Bronze 86-2043



Boulder 86-2171 Moss green 86-2158 Red 86-8255



Deep red 86-51181 Buttercup 86-2166 Orange 86-8204




Aniseed 86-2157 Deep blue 86-51182 Concrete 86-2167



Beaten metal 86-2045 Anthracite 86-2047 Deep black 86-51178


### Alu



White/Alu 86-2051 Out/Alu 86-2046 Alu/Alu 86-2048 Anthracite/Alu 86-2068

Technical properties	
Opacity factor	4%
Weight EN ISO 2386-2	380 g/m <sup>2</sup> ± 11.2 (range) yd
Thickness	0.45 mm ± 0.03 mm (range)
Width	177 cm • 287 cm • 69.7 ft • 105.1 ft
Roll length	
In 177 cm • 69.7 in width	50 m • 54.68 yd
In 287 cm • 105.1 in width	40 m • 43.74 yd
Physical properties	
Tensile strength (warp/weft) EN ISO 1421	230/160 daN/5 cm • 517/360 lbs/2 in
Tear strength (warp/weft) DIN 53 363	45/20 daN • 101/45 lbs
Fire resistance	
Rating	M1-NF-92-507 B1-CEN 4103-1 M1-LIN 23-727-90 Class 1 EN 13773 Class 1 LIN 9177-87 VWF 5.3 (A) 19999 ISO 7607 BS 5827-2 Schwerbrennbar-G1-T1-CVORM A 3000-1 Method 1 NFPA 701 Method 2 NFPA 701 CSRM 119 Class A ASTM E84 CAN ULCS 109 1530.2 (A) NZS 1530.3 (A) NZS G1 15037 30244-94 B-s2,d0
Management system	
Quality: ISO 9001 • Environment: ISO 14001 • Energy: ISO 50001	

### Color



Snow white 92-50990



White 92-2044 Champagne 92-2175 Hemp 92-50265



Sandy beige 92-2135 Pepper 92-2012 Brick 92-51180



Bronze 92-2043 Taupe 92-50680 Quartz 92-50303



Shea 92-50643 Havana-Brown 92-50266 Cloud 92-50272

Technical properties	
Opacity factor	4%
Weight EN ISO 2386-2	450 g/m <sup>2</sup> ± 12.4 (range) yd
Thickness	0.45 mm ± 0.03 mm (range)
Width	177 cm • 287 cm • 69.7 ft • 105.1 ft
Roll length	
In 177 cm • 69.7 in width	50 m • 54.68 yd
In 287 cm • 105.1 in width	40 m • 43.74 yd
Physical properties	
Tensile strength (warp/weft) EN ISO 1421	310/210 daN/5 cm • 697/472 lbs/2 in
Tear strength (warp/weft) DIN 53 363	45/20 daN • 101/45 lbs
Quality class (Opaque/Alu) EN 14501	Class 4 (200/100) lux
Fire resistance	
Rating	M1-NF-92-507 B1-CEN 4103-1 M1-LIN 23-727-90 Class 1 EN 13773 Class 1 LIN 9177-87 VWF 5.3 (A) 19999 ISO 7607 BS 5827-2 Schwerbrennbar-G1-T1-CVORM A 3000-1 Method 1 NFPA 701 Method 2 NFPA 701 CSRM 119 Class A ASTM E84 CAN ULCS 109 1530.2 (A) NZS 1530.3 (A) NZS G1 15037 30244-94 B-s2,d0
Management system	
Quality: ISO 9001 • Environment: ISO 14001 • Energy: ISO 50001	



Boulder 92-2171 Concrete 92-2167 Dark grey 92-51177



Celestial grey 92-51178 Anthracite 92-2047 Moss green 92-2158



Green-grey 92-51179 Tennis green 92-5056 Deep red 92-51181



Buttercup 92-2166 Lagoon 92-2160 Orange 92-8204



Aniseed 92-2157 Deep blue 92-51182 Red 92-8255



Gold 92-50273 Copper 92-50274 Beaten metal 92-2045



Beetle 92-2149 Deep black 92-51176

### Alu




White/Alu 92-2051 Out/Alu 92-2046 Alu/Alu 92-2048



Medium grey/Alu 92-2074 Anthracite/Alu 92-2068

### Opaque Alu



White/Alu 92-1044 Boulder/Alu 92-2171 Sandy beige/Alu 92-2135



Alu/Alu 92-1046 Beaten metal/Alu 92-1045 Bronze/Alu 92-1043



Deep black/Alu 92-51176

## Blinds & Shades



[www.WorldWideTradex.com](http://www.WorldWideTradex.com)

@ Hello@WorldWideTradex.com

 Istanbul Turkey